

2.Specification:

Parameter	Model No.		Unit
Power Rating	36	50	W
Voltage Rating	220	220	VAC
Frequency	50-60	50-60	Hz
Power Factor	>0.95	>0.95	-
Lightning Resistance	5000	5000	KV
Lighting Source	LED	LED	-
LED Lifespan	100000	100000	h
LED Luminous flux	6000	6000	lm
Light Efficiency	120	120	lm/W
CCT	2500-6500	2500-6500	K
CRI	>70	>70	-
Lamp Body Material	Aluminum Alloy	Aluminum Alloy	-
The Color of Lamp Shell	Silver	Silver	-
Size of Input Cable	Φ6 ~ 8mm, 3×1.5mm ²	Φ6 ~ 8mm, 3×1.5mm ²	-
IP Rating	IP66	IP66	-
Corrosion-proof grade	WF2	WF2	-
Working temperature	-25 ~ 50	-25 ~ 50	°C
Storage Temperature	-40 ~ 60	-40 ~ 60	°C
Dimension	287X230X119	287X230X119	mm
Net Weight	3.95	3.95	Kg
Certifications	CE ROHS	CE ROHS	-

3. Features:

- 1 By using the international famous LED as the lighting source, all of our lamps are of high light efficiency, low light-declining and long lifespan.
- 2 Good design for the heat radiation, to reduce the heat of the inside.
- 3 Adopt our own design of the lens for the light distribution.
- 4 More beam angle optional for different places.
- 5 The lamp has a reasonable structure, stable and durable, with the design of modularity, it is easily combine to different power by modules.
- 6 PC cover pressed from superior unique material, high impact resistance performance, excellent light transmission, anti-dazzle.

Applications:


This product is suitable for transformer substations, factories, power distribution room, corridor, railway stations, the airport terminal, port, court yard, industrial buildings, city lighting and other places as fixed lighting.




4. Product Details:



Neat PCB



Professional design of surface




Good heat dissipation


←
Online
Service



▲
Top



Rotatable bracket



Stainless steel screw

5. Qualification:



EMC Tester



Integrating Sphere



High-Low Temperature Tester



6. Deliver, Shipping and Serving:

Delivery Time:

1. Sample orders: 5-7 days
2. Bulk orders: 15-20 days

Shipping Method:

1. Ship by express
2. Ship by air
3. Ship by sea



Our Service:

1. Customized design is available. OEM and ODM are welcomed.
2. One pc sample is acceptable.

←
Online
Service



▲
Top

- 3 .All of your inquiry will be replied in 10 hours.
4. Protection of your sales area, ideas of design and all your private information.
5. Deliver the goods to our customers all over the world with speed and precision.
6. Rich marketing experiences for more than 6 years.
7. Offer customer with most competitive price and high-end quality led lights.

7. FAQ

Q1:Can you do the design for us?

A:Yes. We have a professional team having rich experience in design and manufacturing. Just tell us your idea and we will help to carry out your ideas . It does not matter if you do not have someone to complete files.

Q2: How long can I expect to get the samples?

A:After you pay the sample charge and send us confirmed files, the samples will be ready for delivery in 10 days. The samples will be sent to you via express and arrive in 5-7 days. You can use your own express account or prepay us if you do not have an account.

Q3:How many employees in your company?

A:We have about 70-80 employees including 12 engineers, 35 sales and 20 production line workers.

Q4: What's your MOQ? Can I buy one sample?

A: Our MOQ for LED Explosion Proof Lights is 10pcs. Clients who want to buy 1-9pcs for quality test are also welcome.

8.Recommendations

You may like these:



CARY 凯瑞

WWW.SZCARY.COM



←
Online
Service



▲
Top

KLE1016



WWW. SZCARY. COM



Hot Tags: square ce rohs industrial 50w klf5020ii led flood light, suppliers China, manufacturers, factory, wholesale, price, made in China, 1 Module LED Flood Light, Pendant Chain 36w UL Linear Light, 50wLED Flood Light fixture, two Modules LED Flood Light, Silver Color Bracket Mount 200w LED Flood Light, 200w Wall Mount ATEX Explosion Proof Flood Light

Related Products



1200mm 36W Aluminum Alloy Wall Mount



High Cost-effective IP65 50W CE ROHS



High Performance Industrial 36W LED




40W Industrial Explosion Proof Lights



Hot Item KLE1011 UL 844 36W 2FT LED



CE RoHS ATEX Certified 60W Industrial LED



Inquiry

Your Name:

* E-mail:

Phone:

Company:

Title:

* Content:

Send

ABOUT US

- Home
- About Us
- Product
- News
- Knowledge
- Contact Us
- Showroom
- Mobile
- XML

PRODUCT

- LED Explosion Proof Li...
- LED Flood Light-KL201...
- UL844 LED Explosion ...
- LED Flood Light
- LED Explosion Proof Li...
- LED Explosion Proof Li...
- ATEX LED Explosion Pr...
- LED Industrial Light

CONTACT US

Address: Building 1, No.29 Industrial West Zone, Makan Road, Xili, Nanshan, Shenzhen, China.
Tel: +86-755-26014801
Fax: +86-755-26929306
E-mail: info@szcary.com

