

CATEGORIES

- LED Explosion Proof Light
- LED Flood Light-KL2018G
- UL844 LED Explosion Proof Light
- LED Flood Light
- LED Explosion Proof Light IP66 KLE2018
- LED Explosion Proof Light KLE1018-II
- ATEX LED Explosion Proof Light KLE1017
- LED Industrial Light



Home > Product > UL844 LED Explosion Proof Light > LED Hazardous Location Linear Light



KLE1011 Hot Sale Linear LED Hazardous Location Light 56W 4FT
 With 5 years warranty on all the components. we devoted ourselves to explosion proof lighting for more than 10 years, covering most of European ,Middle East and American markets. we are expecting to become your long-term partner in china.

Send Inquiry





Product Details

KLE1011 Hot Sale Linear LED Hazardous Location Light 56W 4FT

1.Product Introduction

It is made up of high quality aviation aluminum and impact-resistant PC.The housing with AL6063-T5 aluminum frame has excellent heat dissipation.

This product is widely used in harsh and hazardous places, especially for environment with explosive gas and combustible dust.The rated power covers from 36 to 56W.



2. Specification:

Item	Parameter		
Model	KLE1011-36	KLE1011-36	KLE1011-50
Power Rating	36W	36W	56W
Length(FT)	2FT	4FT	4FT
Voltage Rating	100-277 VAC		
Voltage Frequency	50-60 Hz		
Power Factor	>0.95		
THD	<15%		
Light Lifespan	50000 hours		
Light Efficiency	140 lm/W		
Lumen Maintenance	6000h,>95%		
Material	High quality aviation aluminum housing + impact-resistant Bayer PC cover		
Housing Color	Yellow		
IP Rating	IP66		
CCT	4000K/5000K/6000K		
CRI	>70		
Beam Angle	180°		
Cable Size	Φ10mm,3×2.5mm ²		
Entrance thread	NPT3/4		
Ex mark	Class I, Division 2, Groups A, B, C and D		
	Class II, Division 2, Groups F and G		
	Class III		
Ambient Environment	Temperature:-40°C-55°C; Humidity:10-90%RH(25°C)		

Storage Temperature	-40°C-60°C		
Net Weight	4.3 Kg	6.8 Kg	7.0 Kg
Approved By	UL844,UL1598,UL8750,DLC,ELT,ATEX,CNEX,CE,Rohs		

3, Features:

1. High efficiency SANAN LED, whole light efficiency up to 190 lumen/watt.
2. High quality aviation aluminum housing & impact-resistant PC lens,maximum efficacy,minimum glare.
3. Mean well famous brand driver, over-temperature protection,high reliability, efficiency > 95%.
4. Energy-efficient technology - up to 80% energy savings over HID fixtures.
5. Versatile mounting options, easy installation.
6. Emergency function available.
7. Surge protection: 8KV.
8. 5 years warranty on all components.

4, Applications :

Our 50W SMD LED Explosion Proof Linear Flood Light is suitable for areas with mounting heights of 2-7m.
 Petroleum Industry, Crude Oil Treatment Industry, Metallurgical Industry, Power Generation Industry, Power Transmission Industry, Military Industry etc.




5. Product Details:

←

Online Service

...

Top



ADC12 end cover



Clamps




Good heat dissipation



Neat cable



Appearance



Inside PCB

6. Qualification:





7. Deliver, Shipping and Serving:

Delivery Time:

1. Sample orders: 5-7 days
2. Bulk orders: 15-20 days

Shipping Method:

1. Ship by express
2. Ship by air
3. Ship by sea



Our Service:

1. Customized design is available. OEM and ODM are welcomed.
2. One pc sample is acceptable.
3. All of your inquiry will be replied in 10 hours.
4. Protection of your sales area, ideas of design and all your private information.
5. Deliver the goods to our customers all over the world with speed and precision.
6. Rich marketing experiences for more than 6 years.
7. Offer customer with most competitive price and high-end quality led lights.

8. FAQ

Q: Do You Offer Guarantee For The Products?

A: Yes, we offer 5 years warranty to our products.

Q: How To Deal With The Faulty?

A: Firstly, Our products are produced in strict quality control system and the defective rate will be less than 0.2%.

Secondly, during the guarantee period, we will send new lights with new order for small quantity. For defective batch products, we will repair them and resend them to you or we can discuss the solution including re-call according to real situation.

9. Recommendations

You may like these:

←
Online
Service



▲
Top



CARY 凯瑞

WWW.SZCARY.COM



CARY 凯瑞

WWW.SZCARY.COM





CARY 凯瑞

WWW.SZCARY.COM



Hot Tags: kle1011 hot sale linear led hazardous location light 56w 4ft, suppliers China, manufacturers, factory, wholesale, price, made in China, 200w LED Floodlight, LED Hazardous Location Light, 1200mm 50w UL Hazardous Location Linear Light, Wall Mount 50w ATEX Explosion Proof Linear Light, Aluminum Alloy IP65 ETL DLC 50w LED Flood Light, 200w Wide distribution Light

Related Products



200W LED Flood Light



Grey 2.5kg 50W KLE2018 ADC12 WF2



24W Aluminum ATEX Luminaires LED



High Lumen Efficiency ATEX Wharf



50W Ft Industrial IP66 ATEX LED



ATEX 50W IP66 LED Explosion Proof

Inquiry

Your Name:

* E-mail:

Please input your email here.

Phone:

Company:

Title:

* Content:

Please include details like size, weight, destination port and etc., so that we can quote the best price.

Send

←
Online
Service



▲
Top

ABOUT US

- Home
- About Us
- Product
- News
- Knowledge
- Contact Us
- Showroom
- Mobile
- XML

PRODUCT

- ▶ LED Explosion Proof Li...
- ▶ LED Flood Light-KL201...
- ▶ UL844 LED Explosion ...
- ▶ LED Flood Light
- ▶ LED Explosion Proof Li...
- ▶ LED Explosion Proof Li...
- ▶ ATEX LED Explosion Pr...
- ▶ LED Industrial Light

CONTACT US

Address: Building 1, No.29 Industrial West Zone, Makan Road, Xili, Nanshan, Shenzhen, China.

Tel: +86-755-26014801

Fax: +86-755-26929306

E-mail: info@szcary.com



Copyright © Shenzhen Cary Technology Co.,Ltd All Rights Reserved.